




Floor Spring

Main Door Locks

Door Closer

Architectural Hardware

Open the doors to magic

Hettich Architectural Hardware solutions are a perfect combination of cutting-edge German technology and exceptional design to keep your residential and commercial spaces smart and secure. From controlling the movement of doors through doors closer to secured locking solutions, from elegant glass solutions to the application of acoustic seals for extra comfort; the range has it all.

IT'S ALL IN HETTICH.





Hettich

Door Hinges

► Concealed Ball Bearing Hinges



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
Mortise Door Hinge: HBN 20 Series								
 FCE	9250490*	9250490*	HBN-20 Wide, 158/160 : 6.3"x6.3"x3.5, SS 304, Heavy duty hinge, Patented grease free ball bearing technology, Loading capacity 300kg/ pair, Square	1	Pair	1	16,534	83021090
Mortise Door Hinge: HBN 14 Series								
 FCE	9228734*	9228734*	HBN-14 4"x3"x3 Square edge Z shape drilling pattern for timber doors, capacity 160kg, EN1935 Grade14, Finish SS	1	Pair	1	2,224	83021090
	9250468*	9250468*	HBN-14 5"x4"x3 Square edge Z shape drilling pattern for timber doors, capacity 160kg, EN1935 Grade14, Finish SS	1	Pair	1	2,751	83021090
 FCE	9228736*	9228736*	HBN-14 4"x3"x3 Round edge Z shape drilling pattern for timber doors, capacity 160kg, EN1935 Grade14, Finish SS	1	Pair	1	2,224	83021090
 FCE	9228721*	9228721*	HBN-14 4"x3"x3 Square edge C shape drilling pattern for Steel doors, capacity 160kg EN1935 Grade14, Finish SS	1	Pair	1	2,224	83021090
	9228725*	9228725*	HBN-14 5"x3"x3 Square edge C shape drilling pattern for Steel doors, capacity 160kg EN1935 Grade14, Finish SS	1	Pair	1	2,563	83021090
	9228727*	9228727*	HBN-14 5"x4"x3 Square edge C shape drilling pattern for Steel doors, capacity 160kg, EN1935 Grade14, Finish SS	1	Pair	1	2,751	83021090

EN 1935 Classification grades (For HBN 14):-

4	7	7	1	1	3	1	14
---	---	---	---	---	---	---	----

Note: Please refer Architectural Hardware Exclusive Price List for all available solutions. | *Available till stock last

Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
HIN – Ball Bearing Hinge : SS 304, 105 min Fire rated, 200,000 Cycle, 5 years Functional Warranty								
 	9268384*	9268384*	SS 304 hinge RD 4"x3"x3, loading capacity up to 120 kg SS finish (with screws)	1	Pair	1	1,103	83021000
	9251646	9251646	SS 304 Ball Bearing Hinge, Square Edge, 4"x3"x3, Loading capacity 120 Kg, SS finish (with screws)	1	Pair	1	935	83021010
 	9251670	9251670	SS 304 Ball Bearing Hinge, Round Edge, 5"x3"x3, Loading capacity 120 Kg, SS Finish (With Screws)	1	Pair	1	1,105	83021010
	9251654	9251654	SS 304 Ball Bearing Hinge, Square Edge, 5"x3"x3, Loading capacity 120 kg, SS finish (with screws)	1	Pair	1	1,105	83021010
 	9359866*	9359866*	SS 304 hinge SQ 4"x3"x3 loading Capacity up to 120 kg, BL Finish (with screws)	1	Pair	1	1,369	83021000
	9251648	9251648	SS 304 Ball Bearing Hinge, Square Edge, 4"x3"x3, loading capacity 120 Kg, BL finish (with screws)	1	Pair	1	1,100	83021010
	9251656	9251656	SS 304 Ball Bearing Hinge, Square Edge, 5"x3"x3, Loading capacity 120 Kg, BL (With Screws)	1	Pair	1	1,340	83021010
HIN – Ball Bearing Hinge Antique Brass (AB) Finish								
 	9251650	9251650	SS 304 Ball Bearing Hinge, Square Edge, 4"x3"x3, loading capacity 120 Kg, AB finish (with screws)	1	Pair	1	1,155	83021010
 	9251658	9251658	SS 304 Ball Bearing Hinge, Square Edge, 5"x3"x3, loading capacity 120 Kg, AB finish (with screws)	1	Pair	1	1,390	83021010
Non Ball Bearing Hinge, Loading capacity 60 kg								
	9251678	9251678	SS 304 Non Ball Bearing Hinge, Sq 4"x3"x2.5, Loading capacity 60 kg, SS finish (with screws)	1	Pair	1	710	83021010
	9251691	9251691	SS 304 Non Ball Bearing Hinge, Rd, 4"x3"x2.5, Loading capacity 60 kg, SS finish (with screws)	1	Pair	1	710	83021010
	9251685	9251685	SS 304 Non Ball Bearing hinge, Sq, 5"x3"x2.5, Loading capacity 60 kg, SS finish (with screws)	1	Pair	1	860	83021010
	9251697	9251697	SS 304 Non Ball Bearing hinge, Rd, 5"x3"x2.5, Loading capacity 60 kg, SS finish (with screws)	1	Pair	1	860	83021010

EN 1935 Classification grades (For HIN):-

4	7	6	1 ^a	1	4	0	13
---	---	---	----------------	---	---	---	----

Note: Please refer Architectural Hardware Exclusive Price List for all available solutions. | *Available till stock last

Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	Flush Hinge							
	9251702*	9251702*	Flush Hinge, Square Edge, 4"x3"x2.5 Loading capacity 40kg, SS finish (without screws)	1	Pair	1	595	83021010
	9251703*	9251703*	Flush Hinge, Square Edge, 4"x3"x2.5 Loading capacity 40kg, SS finish (with screws)	1	Pair	1	650	83021010
	9251704*	9251704*	Flush Hinge, Square Edge, 5"x3"x2.5 Loading capacity 40kg, SS finish (without screws)	1	Pair	1	690	83021010
	9251705*	9251705*	Flush Hinge, Square Edge, 5"x3"x2.5, Loading capacity 40 Kg, SS Finish (With Screws)	1	Pair	1	750	83021010
	9251706*	9251706*	Flush Hinge, Square Edge, 5"x3"x3, Loading capacity 40 Kg, SS Finish (Without Screws)	1	Pair	1	940	83021010
	9251707*	9251707*	Flush Hinge, Square Edge, 5"x3"x3, Loading capacity 40 Kg, SS Finish (With Screws)	1	Pair	1	995	83021010
	9436499*	9436499*	Flush Hinge, Square Edge, 4"x3"x2.5, Loading capacity 40 Kg, BL Finish (Without Screws)	1	Pair	1	900	83021010
	9436500*	9436500*	Flush Hinge, Square Edge, 4"x3"x2.5, Loading capacity 40 Kg, BL Finish (With Screws)	1	Pair	1	950	83021010
	9436501*	9436501*	Flush Hinge, Square Edge, 5"x3"x2.5, Loading capacity 40 Kg, SS Finish (Without Screws)	1	Pair	1	975	83021010
	9436502*	9436502*	Flush Hinge, Square Edge, 5"x3"x2.5, Loading capacity 40 Kg, BL Finish (With Screws)	1	Pair	1	1,025	83021010
	9436503*	9436503*	Flush Hinge, Square Edge, 5"x3"x3, Loading capacity 40 Kg, BL Finish (Without Screws)	1	Pair	1	1,350	83021010
	9436504*	9436504*	Flush Hinge, Square Edge, 5"x3"x3, Loading capacity 40 Kg, BL Finish (With Screws)	1	Pair	1	1,425	83021010
	Spring Hinge							
	9228242*	9228242*	HBN-18-102/102-SPR: Spring Hinge, 4"x4"x3, SS 304, loading capacity 40kg/pair	1	Pair	1	2,646	83021090
	Concealed Hinge							
	9228248*	9228248*	HBC-25-1835/117, Concealed Hinge, Min door thickness- 29 mm, Loading Capacity : 30 kg/pair, Finish Silver	1	Set	1	5,925	83021090
	2D Concealed Hinge							
	9250982*	9250982*	HBC-32 : 2D Concealed Hinge, Min. Door Thickness : 40 mm, Loading Capacity: 80 kg, Finish Silver	1	Set	1	5,487	83021000
	9250983*	9250983*	HBC-35 : 2D Concealed Hinge, Min. Door Thickness : 45 mm, Loading Capacity: 120 kg, Finish Silver	1	Set	1	9,535	83021000
	9250985*	9250985*	HBC-35 : 2D Concealed Hinge, Min. Door Thickness : 45 mm, Loading Capacity : 120 Kg, Finish Black	1	Set	1	9,535	83021000

Note: Please refer Architectural Hardware Exclusive Price List for all available solutions. | *Available till stock last

Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
3D Concealed Hinges (Hinge Material, Base: Zinc Alloy; Connector: Aluminum Alloy)								
	9228474*	9228474*	HBC-25-1440/150Z-3D: 3D-Concealed Hinge, Min Door Thickness: 35 mm Loading Capacity: 40 kg/pair, Finish Silver	1	Pair	1	5,582	83021090
	9228475*	9228475*	HBC-28-1640/177Z-3D: 3D-Concealed Hinge, Min Door Thickness: 40 mm Loading Capacity: 80 kg/pair, Finish Silver	1	Pair	1	7,342	83021090
	9228476*	9228476*	HBC-34-1845/246Z-3D: 3D-Concealed Hinge, Min Door Thickness: 45 mm Loading Capacity: 120 kg/pair, Finish Silver	1	Pair	1	12,132	83021090
	9251126*	9251126*	HBC-25-1440/150Z-3D : 3D-Concealed Hinge, Min Door Thickness: 35 mm, Loading Capacity: 40 kg, Finish Matt Black	1	Pair	1	6,105	83021000
	9251127*	9251127*	HBC-28-1640/177Z-3D: 3D-Concealed Hinge, Min Door Thickness: 40 mm, Loading Capacity: 80 kg, Finish Matt Black	1	Pair	1	7,342	83021090
	9251128*	9251128*	HBC-34-1845/246Z-3D: 3D-Concealed Hinge, Min Door Thickness: 45 mm, Loading Capacity: 120 kg, Finish Matt Black	1	Pair	1	13,274	83021090



Note: Please refer Architectural Hardware Exclusive Price List for all available solutions. | *Available till stock last

Door Hinges

► DuraTough – Railway Brass Hinges



Article No.	SAP	Item Description	Qty.	Unit	PU	MRP
9251918	9251918	BrassHinge,Sqr,125x28x4, AB (W Scr)	1	Pair	1	2,752
9251919	9251919	BrassHinge,Sqr,125x28x4, AN (W Scr)	1	Pair	1	2,752
9251920	9251920	BrassHinge,Sqr,125x28x4, MB (W Scr)	1	Pair	1	2,833
9251921	9251921	BrassHinge,Sqr,125x28x4, NM (W Scr)	1	Pair	1	2,752
9251922	9251922	BrassHinge,Sqr,125x28x4, RG (W Scr)	1	Pair	1	3,648
9251923	9251923	BrassHinge,Sqr,125x31x4, AB (W Scr)	1	Pair	1	2,982
9251924	9251924	BrassHinge,Sqr,125x31x4, AN (W Scr)	1	Pair	1	2,982
9251925	9251925	BrassHinge,Sqr,125x31x4, MB (W Scr)	1	Pair	1	3,069
9251926	9251926	BrassHinge,Sqr,125x31x4, NM (W Scr)	1	Pair	1	2,982
9251927	9251927	BrassHinge,Sqr,125x31x4, RG (W Scr)	1	Pair	1	3,877
9251928	9251928	BrassHinge,Sqr,125x31x4.5, AB (W Scr)	1	Pair	1	3,743
9251929	9251929	BrassHinge,Sqr,125x31x4.5, AN (W Scr)	1	Pair	1	3,743
9251930	9251930	BrassHinge,Sqr,125x31x4.5, MB (W Scr)	1	Pair	1	3,853
9251931	9251931	BrassHinge,Sqr,125x31x4.5, NM (W Scr)	1	Pair	1	3,743
9251932	9251932	BrassHinge,Sqr,125x31x4.5, RG (W Scr)	1	Pair	1	4,638
9251933	9251933	BrassHinge,Sqr,125x38x4.5, AB (W Scr)	1	Pair	1	4,477
9251934	9251934	BrassHinge,Sqr,125x38x4.5, AN (W Scr)	1	Pair	1	4,477
9251935	9251935	BrassHinge,Sqr,125x38x4.5, MB (W Scr)	1	Pair	1	4,608
9251936	9251936	BrassHinge,Sqr,125x38x4.5, NM (W Scr)	1	Pair	1	4,477
9251937	9251937	BrassHinge,Sqr,125x38x4.5, RG (W Scr)	1	Pair	1	5,820
9251938	9251938	BrassHinge,Sqr,150x31x4, AB (W Scr)	1	Pair	1	3,579
9251939	9251939	BrassHinge,Sqr,150x31x4, AN (W Scr)	1	Pair	1	3,579
9251940	9251940	BrassHinge,Sqr,150x31x4, MB (W Scr)	1	Pair	1	3,683
9251941	9251941	BrassHinge,Sqr,150x31x4, NM (W Scr)	1	Pair	1	3,579
9251942	9251942	BrassHinge,Sqr,150x31x4, RG (W Scr)	1	Pair	1	4,474
9251943	9251943	BrassHinge,Sqr,150x31x4.5, AB (W Scr)	1	Pair	1	4,496
9251944	9251944	BrassHinge,Sqr,150x31x4.5, AN (W Scr)	1	Pair	1	4,496
9251945	9251945	BrassHinge,Sqr,150x31x4.5, MB (W Scr)	1	Pair	1	4,628
9251946	9251946	BrassHinge,Sqr,150x31x4.5, NM (W Scr)	1	Pair	1	4,496
9251947	9251947	BrassHinge,Sqr,150x31x4.5, RG (W Scr)	1	Pair	1	5,570
9251948	9251948	BrassHinge,Sqr,150x38x4.5, AB (W Scr)	1	Pair	1	5,367
9251949	9251949	BrassHinge,Sqr,150x38x4.5, AN (W Scr)	1	Pair	1	5,367
9251950	9251950	BrassHinge,Sqr,150x38x4.5, MB (W Scr)	1	Pair	1	5,525
9251951	9251951	BrassHinge,Sqr,150x38x4.5, NM (W Scr)	1	Pair	1	5,367
9251952	9251952	BrassHinge,Sqr,150x38x4.5, RG (W Scr)	1	Pair	1	6,978
9251953	9251953	BrassHinge,Sqr,200x38x4.5, AB (W Scr)	1	Pair	1	7,261
9251954	9251954	BrassHinge,Sqr,200x38x4.5, AN (W Scr)	1	Pair	1	7,261
9251955	9251955	BrassHinge,Sqr,200x38x4.5, MB (W Scr)	1	Pair	1	7,471
9251956	9251956	BrassHinge,Sqr,200x38x4.5, NM (W Scr)	1	Pair	1	7,261
9251957	9251957	BrassHinge,Sqr,200x38x4.5, RG (W Scr)	1	Pair	1	9,409

Note: Please refer Architectural Hardware Exclusive Price List for all available solutions. | *Available till stock last